According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DPF Power Clean

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning solven for diesel particulate filter

Uses advised against

All other uses are not recommended.

1.3. Details of the supplier of the safety data sheet

Company name: Bluechem Australia

Street: Uni 2, 102 - 110 North View Drive

Place: Sunshine

Victoria, 3020, Australia

Telephone: (03) 9311 4456 Telefax: (03) 9311 7712

e-mail: admin@bluechemaustralia.com.au Internet: www.bluechemaustralia.com.au

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone Emergency 24 HOUR: Neil Cochrane (03) 9311 4456 or 0498 880 115

number:

Further Information

Article number: 33450

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS CHEMICAL ACCORDING TO SAFE WORK AUSTRALIA AND WHS CRITERIA CLASSIFIED AS NON-DANGEROUS GOODS ACCORDING TO THE ADG CODE

POISON SCHEDULE: 5

Classification according to WHS

Hazard Statements:

Combustible liquid.

Causes damage to organs through prolonged or repeated exposure.

May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Component(s) to be indicated on the label

Distillates (petroleum, gasoline), hydrotreated light 95 - < 100 %

Alkanes, C11-15-iso 1 - < 5 %

Signal word: Danger

Pictograms:



health

Hazard statements

H227 Combustible liquid.

H372 Causes damage to organs through prolonged or repeated exposure.

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

According to the Model WHS Regulations and the ADG code

DE	E	Day	VOr	CI	ean
$\boldsymbol{\nu}$		Γ \cup V	٧CI	UI	call

Revision date: 01.02.2017 Product code: 1310 Page 2 of 8

Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P273 Avoid release to the environment.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P314 Get medical advice/attention if you feel unwell.

P405 Store locked up.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to approved disposal company or local collection.

Special labelling of certain mixtures

AUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances:

Hazardous components

CAS No	Chemical name	Quantity
EC No	Classification according to WHS criteria	
64742-82-1	Distillates (petroleum, gasoline), hydrotreated light	95 - < 100 %
919-164-8	STOT RE 1, Asp. Tox. 1, Aquatic Chronic 3; H372 H304 H412 AUH066	
90622-58-5	Alkanes, C11-15-iso	1 - < 5 %
292-460-6	Asp. Tox. 1; H304 AUH066	

Full text of H and AUH phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Move victim to fresh air. Put victim at rest and keep warm.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm.

In case of difficulties of breathing consult physician.

If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

Take off immediately all contaminated clothing, including underwear and shoes.

After contact with skin, wash immediately with water and soap

Rub greasy ointment into the skin.

After contact with eyes

Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Consult physician.

According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 3 of 8

After ingestion

Let water be drunken in little sips (dilution effect).

Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

Frequent or prolonged contact with skin may cause dermal irritation.

Irritation of the eyes: Irritant effect possible.

After ingestion: Harmful: may cause lung damage if swallowed. Harmful: danger of serious damage to health by prolonged exposure through inhalation.

4.3. Indication of any immediate medical attention and special treatment needed

Warning about danger of aspiration.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder.

Sand.

Alcohol resistant foam.

Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Formation of decomposition products possible.

In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

HAZCHEM: none allocated.

Additional information

Cool endangered container in case of fire.

Contaminated fire-fighting water must be collected seperately.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of fire: Wear self-contained breathing apparatus.

Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Beat down gas/vapours/mist with water spray.

Do not empty into drains or the aquatic environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Prevent spreading of spillages (e.g. by oil barrier).

Wipe up with absorbent material (e.g. cloth, fleece).

6.4. Reference to other sections

Information for safe handling look up chapter 7.

Information for personal protective equipment look up chapter 8.

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 4 of 8

Advice on safe handling

Closed devices. Vapours / aerosols must be extracted by suction immediately at point of origin.

Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.

Further information on storage conditions

Packaging materials: metal.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits (OEL) - Australia

No information available.

8.2. Exposure controls

Protective and hygiene measures

When using do not eat, drink or smoke.

Wash hands before breaks and after work.

Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes.

Hand protection

Tested protective gloves are to be worn: Butyl rubber.

Skin protection

Wear suitable solvent-proof protective chlothing.

Respiratory protection

In case of accumulation of fumes/aerosols, provide adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: transparent
Odour: Aromatic

Test method

pH-Value: No information available.

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

No information available.

No information available.

Flash point:

62 °C

Flammability

Solid: No information available.

According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 5 of 8

Explosive properties

No information available.

Lower explosion limits:

No information available.

Ignition temperature:

> 200 °C

Auto-ignition temperature

Solid: No information available.

Decomposition temperature: No information available.

Oxidizing properties

No information available.

Vapour pressure: 20 hPa

(at 20 °C)

Density (at 20 °C): 0.78 - 0.82 g/cm³
Water solubility: insoluble (at 20 °C)

Solubility in other solvents

Organic solvents

Partition coefficient:

Viscosity / dynamic:

No information available.

No information available.

No information available.

No information available.

Vapour density:

No information available.

Evaporation rate:

No information available.

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

Only use the material in places where open light, fire and other flammable sources can be kept away.

10.5. Incompatible materials

Oxidizing agents.

Acids, concentrated.

alkalies, concentrated.

10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 6 of 8

Irritation and corrosivity

Based on available data, the classification criteria are not met.

After skin contact: Frequently or prolonged contact with skin may cause dermal irritation.

Irritation of eyes: Irritant effect possible.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Causes damage to organs through prolonged or repeated exposure. ((Distillates (petroleum, gasoline), hydrotreated light))

Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

No information available.

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Swims on the water.

Low potential of bio-accumulation.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not dispose with household waste.

Do not empty into drains or the aquatic environment.

Have to add a special treatment in compliance with official regulations in contact with approved waste disposal companies and with authorities in charge.

Arrange about the exact waste code with the local waste disposal expert.

Contaminated packaging

Contaminated packing must be completely emptied and can be re-used following appropriate cleaning. Do not pierce, cut up or weld unclean container. (Explosion hazard.)

SECTION 14: Transport information

Land transport (ADG)

14.1. UN number: No dangerous good in sense of this transport regulation.14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 7 of 8

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

Other applicable information (land transport)

HAZCHEM: none allocated

Marine transport (IMDG)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 29: Distillates (petroleum, gasoline), hydrotreated light

Additional information

Contains:

> 30 % Hydrocarbons, aliphatic.

National regulatory information

Water contaminating class (D): 2 - water contaminating

Additional information

Poison Schedule: 5.

At least one component is not listed on AICS.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Changes in chapter: -

According to the Model WHS Regulations and the ADG code

DPF Power Clean

Revision date: 01.02.2017 Product code: 1310 Page 8 of 8

Abbreviations and acronyms

ADG = Australian Code for the Transport of Dangerous Goods by Road & Rail

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

HAZCHEM = HAZardous CHEMicals

WHS = Work Health and Safety

NOHSC = National Occupational Health and Safety Commission (Australia)

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and AUH phrases (number and full text)

H227 Combustible liquid.

H304 May be fatal if swallowed and enters airways.

H372 Causes damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

AUH066 Repeated exposure may cause skin dryness or cracking.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)